

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
21 March 2002 (21.03.2002)

PCT

(10) International Publication Number
WO 02/22674 A2

(51) International Patent Classification⁷: **C07K 14/415**

ZANOTTA, Stefania [IT/IT]; P. le Aldo Moro, 7, I-00185 Roma (IT).

(21) International Application Number: **PCT/EP01/10483**

(74) Agents: **MINOJA, Fabrizio** et al.; Bianchetti Bracco Minoja S.r.l., Via Rossini, 8, I-20122 Milan (IT).

(22) International Filing Date:
11 September 2001 (11.09.2001)

(81) Designated States (*national*): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
MI2000A001985
12 September 2000 (12.09.2000) IT

(84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

(71) Applicant (*for all designated States except US*): **CONSIGLIO NAZIONALE DELLE RICERCHE** [IT/IT]; P. le Aldo Moro, 7, I-00185 Roma (IT).

Published:

— without international search report and to be republished upon receipt of that report

(72) Inventors; and

(75) Inventors/Applicants (*for US only*): **STURARO, Monica** [IT/IT]; P. le Aldo Moro, 7, I-00185 Roma (IT). **VIOTTI, Angelo** [IT/IT]; P. le Aldo Moro, 7, I-00185 Roma (IT). **GENGA, Annamaria** [IT/IT]; P. le Aldo Moro, 7, I-00185 Roma (IT). **FALAGIANI, Paolo** [IT/IT]; P. le Aldo Moro, 7, I-00185 Roma (IT). **MISTRELLO, Giovanni** [IT/IT]; P. le Aldo Moro, 7, I-00185 Roma (IT). **RONCAROLO, Daniela** [IT/IT]; P. le Aldo Moro, 7, I-00185 Roma (IT).

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

WO 02/22674 A2

(54) Title: VARIANTS OF THE MAJOR ALLERGEN Par j 2 OF *Parietaria judaica*

(57) Abstract: Hypoallergenic variants of the major allergen Par j 2 of *Parietaria judaica* plants and the uses thereof in the therapy of allergic diseases.

VARIANTS OF THE MAJOR ALLERGEN Par j 2 OF *Parietaria judaica*

The present invention relates to novel variants of an allergen of the pollen of plants of the species *Parietaria judaica*.

More particularly, the present invention relates to the amino acidic sequences of hypoallergenic variants of the allergen Par j 2, obtained by site-specific mutagenesis of the nucleotidic sequence encoding said allergen. The hypoallergenic variants can be used in the specific immunotherapy of allergic pathologies caused by *Parietaria judaica* pollen.

BACKGROUND OF THE INVENTION

Allergies are caused by a disfunction of the immune system, which reacts producing antibodies of the class IgE against proteins, mainly contained in pollens, mites, epithelia, and some foodstuff, which proteins are per se innocuous.

Recent estimations indicate that above 10% of population in Western countries suffers from this disease, which in time may induce worsening of symptoms (e.g. appearance of asthma) and sensitization to other allergens, thus making the choice of therapy more complicated.

Specific immunotherapy (SIT), contrary to pharmacological therapy, is the only kind of etiological treatment of allergic pathologies capable of favourably affecting some immunological parameters which are at the basis of the disease.

SIT consists in the administration of increasing doses of standardized extracts (vaccines), obtained starting from the substance which is the cause of the disease.

This way, immunological tolerance to said substance gradually increases in the patient, accompanied by disappearance of the allergic symptoms.

The risk of eliciting even serious side effects (1), although remarkably

CONFIRMATION COPY

reduced with the use of either slow-release vaccines or vaccines administered through alternative route to the injective one, has however restricted the use of SIT in the therapy of allergic diseases.

In recent years, attention has been focused on the development of effective, safer vaccines. In particular, an important target is the development of vaccines consisting of mutagenized recombinant proteins, i.e. hypoallergenic variants capable of favourably affecting the natural progress of the disease without causing undesired side effects (2).

Parietaria pollen is one of the most important causes of allergy in the Mediterranean area. The two main allergens of this pollen, Par j 1 (whose nucleotide sequence is identified in GenBank under the accession code AC X77414) and Par j 2 (AC X95865), are proteins of approximately 12 kD molecular weight with sequence and functional partial homology (3, 4, 5).

Detailed disclosure of the invention

It now has been found that the allergenic effect of Par j 2 (GenBank, AC X95865) may be decreased by changing its amino acid sequence in at least one of the positions n. 19, 23, 27, 35, 41, 46, 73 and 78, in which a Lys residue is present. "Change" herein means substituting one or more residues in the specified positions preferably with neutral or polar amino acids, or deleting one or more Lys residues present in the natural form, or simultaneously substituting and deleting two or more residues.

The following mutations by substitution, are preferred: Gln19, Ala23, Ala27, Gly35, Ala41, Ala46, Gly73 and Ser78, wherein the number means the position of the amino acidic residue in the sequence. More preferred are the variants in which the eight substitutions indicated above (SEQ ID N. 2) or, alternatively, the 5 substitutions Gln19, Ala23, Ala27, Ala41 and Ala46 (SEQ ID N. 3), are at the same time present.

The invention further comprises an immunologically active peptide

deriving from the amino acidic sequence of Par j 2 and containing at least one of the substitutions/deletions described above.

In a further aspect, the invention is directed to a nucleic acid molecule encoding for a protein variant of Par j 2 or for a peptide derived therefrom.

5 The sequence variants according to the invention can easily be prepared starting from cDNA of the allergen Par j 2 mature form, which does not include the region coding the signal peptide, suitably mutagenized at the desired positions.

The cDNA sequence coding the preferred variant corresponding to
10 SEQ ID N. 2, is reported in SEQ ID N. 1.

The cDNA of SEQ ID N. 1 was expressed in *Escherichia coli* cells. The produced recombinant protein has reduced reactivity to IgEs of serum from subjects allergic to *Parietaria judaica* pollen. In particular, Western blotting tests proved that approximately 75% (10/13) of sera immunoreacting with the
15 normal allergen have reduced reactivity with the mutagenized variant corresponding to SEQ ID N. 2 [Fig. 1]. This reactivity decreases by more than 80% on the average, as determined by ELISA assay [Fig. 2, mut 8]. On the
20 other hand, the variant obtained by introducing the residues Gln19, Ala23, Ala27, Ala41 and Ala46 showed reduced allergenicity in half the tested sera [Fig. 1] and said reduction is 50% on the average [Fig. 2, mut 5]. Finally, the variant of the allergen Par j 2 with the 3 substitutions Gln19, Ala23 and Ala27 shows reduction of the IgE binding of about 20% [Fig. 2, mut 3].

The invention further relates to an expression vector comprising a nucleic acid molecule coding for any one of the hypoallergenic variants defined
25 above.

Said vector can be a plasmid, cosmid, virus, bacteriophage or any other vector commonly used in genetic engineering, and can include, in addition to the nucleic acid molecule of the invention, eukaryotic or prokaryotic elements

for the control of the expression, such as regulatory sequences for the initiation and the termination of the transcription, enhancers, promoters, signal sequences and the like.

Moreover, the invention comprises a prokaryotic or eukaryotic host cell
5 transformed into or transfected with the vector of the invention. In principle, prokaryotic cells such as *Escherichia coli* or *Bacillus subtilis*, or eukaryotic cells such as *Saccharomyces cerevisiae* will be used for cloning the vector and expressing the *cDNA*.

The protein variants of the invention can be produced either as such or as
10 fusion proteins.

Thanks to the reduced IgE reactivity, said variants may be used for therapeutical purposes in the preparation of vaccines to be used in the immunotherapy of allergies to *Parietaria judaica* pollen.

A further aspect of the invention relates therefore to a pharmaceutical
15 composition comprising an effective amount of the hypoallergenic variant of the invention, optionally in combination with other natural or modified allergens of *Parietaria judaica*, together with pharmaceutically acceptable excipients.

In a preferred embodiment, said pharmaceutical composition is a vaccine
20 for use in the prophylactic or therapeutical treatment of allergic diseases, such as bronchial asthma, allergic rhinitis, allergic dermatitis, allergic conjunctivitis. Vaccination principles and practice are well known to those skilled in the art and are described, for example, in (7) and (8).

The following examples illustrate the invention in greater detail.

25 The methods used in the following examples, if not otherwise specified, are those described by Sambrook, Fritsch ET Maniatis "Molecular cloning. A laboratory manual" II Ed. vol. 1-2-3 CSH Lab Press 1989.

Example 1 - Site-specific mutagenesis of the cDNA coding for the allergen Par j 2

The site-specific mutagenesis of the cDNA coding for the allergen Par j 2 is carried out by PCR amplification (Polymerase Chain Reaction) of the same cDNA cloned in a prokaryotic vector (pBluescript).

The oligonucleotides used as primer for the PCR reaction have the required substitutions of bases. For each mutagenesis, a complementary pair of said oligonucleotides has been used, which bind to corresponding regions of the two DNA strands. After amplification, the original, unchanged template is selectively degraded by enzymatic digestion catalyzed by the restriction enzyme Dpn I. Escherichia coli cells are then transformed with the mutagenized molecules. Clones obtained from single bacterial colonies are sequenced according to the Sanger method to verify the correct modification of the bases and the absence of cDNA aspecific mutations.

Example 2 - Production of the protein Par j 2 and of the variants thereof

Normal cDNA from Par j 2 and mutagenized cDNA, after cloning in an expression vector (pCALn - Stratagene), are expressed in Escherichia coli cells according to standard protocols. Cells are collected by centrifugation and resuspended in PBS buffer. The recombinant proteins are isolated after lysis of the bacterial cells by sonication and removal of cell particulates by centrifugation. Proteins are purified from supernatant by affinity chromatography, using columns wherein the matrix is bonded to the calmodulin protein, which interacts with the CBP portion (Calmodulin Binding Protein) fused to the allergen.

Example 3 - Western blotting assay of the allergenicity of the Par j 2 variants

Equal amounts of the recombinant allergen and of the mutagenized variant are analyzed by electrophoresis on polyacrylamide gel and subsequent transfer onto nitro-cellulose membrane by electroblotting, according to the

technique described by Towbin (6).

The membrane is incubated for an hour in TBS containing 5% of powder milk (saturation buffer) then overnight with single sera from patients allergic to Parietaria (RAST 3+ and 4+). After three washings with TBS containing 0.05% Tween-20, IgE antibodies bound to the membrane are detected by incubation for an hour with anti-human IgE peroxidase-conjugated antiserum and, after further washings, with the detection system based on the use of a DAB (diaminobenzidine) solution containing H₂O₂ as substrate for the peroxidase.

Example 4 - ELISA assay for the reactivity to IgE of the Par j 2 variants

Equal amounts (0.2 µg) of normal allergen and of its mutagenized variants, in carbonate/bicarbonate 50 mM buffer, pH 9,6, are adsorbed on wells of polystyrene plates for ELISA tests by incubation at 4°C for 16 hours. The antigens are then washed with washing solution (60 mM phosphate buffer pH 6,5 containing 0.05% Tween-20) and the free sites are saturated with diluent solution (25% horse serum, EDTA 1 mM, 0.05% Tween 20, 0.01% Thiomersal in phosphate buffer 150 mM pH 7,4). Serial dilutions of human serum pools with RAST 4+ reactivity are prepared in a 1:2 ratio in diluent buffer. Equal amounts (100 µl) of the various serum dilutions are added to each sample and incubated at 25°C for 2 hours. After three washings, the anti-human IgE peroxidase conjugated antiserum diluted 1:1500 in diluent buffer is added, and incubated at 25°C for 1.5 hours. After three washings, the colorimetric reaction is developed by addition of 100 µl of Ultra Blu reagent (Intergen, Milford, MA) and incubation for 15 minutes at 25°C. The reaction is stopped by addition of 100 µl of 1N HCl and evaluated at 450 nm with a spectrophotometer.

REFERENCES


- 1) Toubi E., Kessel A., Blant A., Golan T.D., (1999) "Follow-up after systemic adverse reactions of immunotherapy".
Allergy, 54(6): 617-620
- 5 2) Akdis C.A., Blaser K., (2000) "Regulation of specific immune response by chemical and structural modifications of allergens".
Int. Arch. Allergy Immunol., 121(4): 261-269
- 3) Costa M.A., Colombo P., Izzo V., Kennedy D., Venturella S., Cocchiara R., Mistrello G., Falagiani P., Geraci D., (1994). "cDNA cloning,
10 expression and primary structure of Par j I, a major allergen of *Parietaria judaica* pollen".
FEBS Lett., 341:182-186
- 4) Duro G., Colombo P., Costa M.A., Izzo V., Porcasi R., of Fiore R., Locorotondo G., Mirisola M.G., Cocchiara R., Geraci D., (1996). "cDNA
15 cloning, sequence analysis and allergological characterization of Par j 2.0101, a new major allergen of the *Parietaria judaica* pollen".
FEBS Lett., 399: 295-298
- 5) Colombo P., Kennedy D., Ramsdale T., Costa M.A., Duro G., Izzo V., Salvadori S., Guerrini R., Cocchiara R., Mirisola M.G., Wood S., Geraci
20 D., (1998). "Identification of an immunodominant IgE epitope of the *Parietaria judaica* major allergen".
J. Immunol., 160: 2780-2785
- 6) Towbin J., Staehelin T., Gordon J., (1979). "Electrophoretic transfer of proteins from polyacrylamide gels to nitrocellulose sheets: procedures
25 and some applications".
Proc. Natl. Acad. Sci. USA, 76: 4350-4354
- 7) Paul, (1989), "Fundamental Immunology", Raven press, New York.

- 8) Cryz, S. J. (1991), "Immunotherapy and Vaccines", VCH Verlagsgesellschaft.

CLAIMS

1. A variant of the natural form of the protein Par j 2 wherein at least one of the Lys residues present at the positions 19, 23, 27, 35, 41, 46, 73 and 78 is substituted and/or deleted.
2. A variant as claimed in claim 1, wherein said residues are substituted with neutral or polar amino acids.
3. A variant as claimed in claims 1-2, wherein the substitutions are selected from Gln19, Ala23, Ala27, Gly35, Ala41, Ala46, Gly73 and Ser78.
4. A variant as claimed in claims 1-3, having sequence SEQ ID N. 2.
5. A variant as claimed in claims 1-3, having the substitutions Gln19, Ala23, Ala27, Ala41 and Ala46 (SEQ ID N. 3).
6. A peptide comprising an immunologically active part of a variant of claims 1-5, wherein at least one substitution/deletion as claimed in claim 1 is present.
7. A nucleic acid molecule coding for a protein variant as claimed in claims 1-5 or for a peptide as claimed in claim 6.
8. A nucleic acid molecule as claimed in claim 7, of sequence SEQ ID N. 1.
9. A vector comprising the nucleic acid molecule of claims 7-8.
10. A host cell transduced with the vector of claim 9.
11. A pharmaceutical composition comprising an effective amount of a protein variant as claimed in claims 1-5 or of a peptide as claimed in claim 6 together with pharmaceutically acceptable excipients.
12. A composition as claimed in claim 11, in the form of a vaccine.

IgE allergen reactivity of Par j 2 and of two modified variants



N: Par j 2 normal recombinant

5: Par | 2 with 5 amino acidic modifications: Gln₁₉, Ala₂₃, Ala₂₇, Ala₄₁, Ala₄₆.

8 : Par j 2 with 8 amino acidic modifications: Gln19, Ala33, Ala27, Gly35, Ala44, Ala46, Gly73, Ser78.


1-14: single sera of subject allergic to Parietaria

Pool +: pool positive sera

Pool -: pool negative sera

2/2

Figure 2
Analysis of IgE reactivity of the variants of the Par j 2 allergen



SEQUENCE LISTING

<110> CONSIGLIO NAZIONALE DELLE RICERCHE

<120> VARIANTS OF THE MAJOR ALLERGEN PAR J 2 OF PARIETARIA
JUDAICA

<130> cnr

<140>

<141>

<160> 3

<170> PatentIn Ver. 2.1

<210> 1

<211> 306

<212> DNA

<213> Parietaria judaica

<400> 1

```

gaggaggctt gcgggaaagt ggtgcaggat ataatgccgt gcctgcattt cgtgcagggg 60
gaggaggcgg agccgtcggc ggagtgtgc agcggcacga aggggctgag cgaggaggtg 120
gcgacgacgg agcaggcgag ggaggcctgc aagtgcatag tgcgcgccac gaagggcac 180
tccggtatca aaaatgaact tgtcgccgag gtccccggga agtgcgatat tagcaccact 240
ctcccgccca tcaccgccga cttcgactgc tccaagatcc aaagtactat ttccagaggt 300
tactat                                     306

```

<210> 2

<211> 102

<212> PRT

<213> Parietaria judaica

<400> 2

```

Glu Glu Ala Cys Gly Lys Val Val Gln Asp Ile Met Pro Cys Leu His
 1                      5                      10                      15

Phe Val Gln Gly Glu Glu Ala Glu Pro Ser Ala Glu Cys Cys Ser Gly
          20                      25                      30

Thr Lys Gly Leu Ser Glu Glu Val Ala Thr Thr Glu Gln Ala Arg Glu
          35                      40                      45

Ala Cys Lys Cys Ile Val Arg Ala Thr Lys Gly Ile Ser Gly Ile Lys
          50                      55                      60

Asn Glu Leu Val Ala Glu Val Pro Gly Lys Cys Asp Ile Ser Thr Thr
          65                      70                      75                      80

Leu Pro Pro Ile Thr Ala Asp Phe Asp Cys Ser Lys Ile Gln Ser Thr
          85                      90                      95

```

Ile Phe Arg Gly Tyr Tyr
100

<210> 3

<211> 102

<212> PRT

<213> Parietaria judaica

<400> 3

Glu Glu Ala Cys Gly Lys Val Val Gln Asp Ile Met Pro Cys Leu His
1 5 10 15

Phe Val Gln Gly Glu Glu Ala Glu Pro Ser Ala Glu Cys Cys Ser Gly
20 25 30

Thr Lys Lys Leu Ser Glu Glu Val Ala Thr Thr Glu Gln Ala Arg Glu
35 40 45

Ala Cys Lys Cys Ile Val Arg Ala Thr Lys Gly Ile Ser Gly Ile Lys
50 55 60

Asn Glu Leu Val Ala Glu Val Pro Lys Lys Cys Asp Ile Lys Thr Thr
65 70 75 80

Leu Pro Pro Ile Thr Ala Asp Phe Asp Cys Ser Lys Ile Gln Ser Thr
85 90 95

Ile Phe Arg Gly Tyr Tyr
100

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
21 March 2002 (21.03.2002)

PCT

(10) International Publication Number
WO 02/22674 A3

(51) International Patent Classification⁷: C07K 14/15, A61P 37/08

(74) Agents: MINOJA, Fabrizio et al.; Bianchetti Bracco Minoja S.r.l., Via Rossini, 8, I-20122 Milan (IT).

(21) International Application Number: PCT/EP01/10483

(22) International Filing Date:
11 September 2001 (11.09.2001)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
MI2000A001985
12 September 2000 (12.09.2000) IT

(71) Applicant (for all designated States except US): CONSIGLIO NAZIONALE DELLE RICERCHE [IT/IT]; P. le Aldo Moro, 7, I-00185 Roma (IT).

(81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.

(84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

(72) Inventors; and

(75) Inventors/Applicants (for US only): STURARO, Monica [IT/IT]; P. le Aldo Moro, 7, I-00185 Roma (IT). VIOTTI, Angelo [IT/IT]; P. le Aldo Moro, 7, I-00185 Roma (IT). GENGA, Annamaria [IT/IT]; P. le Aldo Moro, 7, I-00185 Roma (IT). FALAGIANI, Paolo [IT/IT]; P. le Aldo Moro, 7, I-00185 Roma (IT). MISTRELLO, Giovanni [IT/IT]; P. le Aldo Moro, 7, I-00185 Roma (IT). RONCAROLO, Daniela [IT/IT]; P. le Aldo Moro, 7, I-00185 Roma (IT). ZANOTTA, Stefania [IT/IT]; P. le Aldo Moro, 7, I-00185 Roma (IT).

Published:

— with international search report

(88) Date of publication of the international search report:
6 June 2002

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: VARIANTS OF THE MAJOR ALLERGEN Par j 2 OF *Parietaria judaica*

(57) Abstract: Hypoallergenic variants of the major allergen Par j 2 of *Parietaria judaica* plants and the uses thereof in the therapy of allergic diseases.

WO 02/22674 A3

INTERNATIONAL SEARCH REPORT

International Application No

PCT/EP 01/10483

A. CLASSIFICATION OF SUBJECT MATTER

IPC 7 C07K14/15 A61P37/08

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 C07K

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal, WPI Data, PAJ, BIOSIS, CHEM ABS Data, MEDLINE, SEQUENCE SEARCH

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	<p>DURO G. ET AL.: "cDNA cloning, sequence analysis and allergological characterization of Pari i 2.0101, a new major allergen of the Parietaria judaica pollen."</p> <p>FEBS LETTERS, vol. 399, - 1996 pages 295-298, XP002191113 figure 2A</p> <p style="text-align: center;">--- -/--</p>	1-3,6,7



Further documents are listed in the continuation of box C.



Patent family members are listed in annex.

* Special categories of cited documents:

- *A* document defining the general state of the art which is not considered to be of particular relevance
- *E* earlier document but published on or after the international filing date
- *L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- *O* document referring to an oral disclosure, use, exhibition or other means
- *P* document published prior to the international filing date but later than the priority date claimed

- *T* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- *X* document of particular relevance: the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- *Y* document of particular relevance: the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.
- *&* document member of the same patent family

Date of the actual completion of the international search

25 February 2002

Date of mailing of the international search report

12/03/2002

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040. Tx. 31 651 epo nl.
Fax: (+31-70) 340-3016

Authorized officer

Armandola, E

INTERNATIONAL SEARCH REPORT

International Application No

PCT/EP 01/10483

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	COLOMBO P ET AL: "Identification of an immunodominant IgE epitope of the Parietaria judaica major allergen" JOURNAL OF IMMUNOLOGY, THE WILLIAMS AND WILKINS CO. BALTIMORE, US, vol. 160, no. 6, 15 March 1998 (1998-03-15), pages 2780-2785, XP002186915 ISSN: 0022-1767 figures 3,4 ---	1-3,6,7, 9-11
X	WO 99 34826 A (IMP COLLEGE INNOVATIONS LTD ;KAY ANTHONY B (GB); LARCHE MARK (GB)) 15 July 1999 (1999-07-15) Sequence of Par j P9 on page 58 ---	1-3,6, 11,12
Y	COSTA M A ET AL.: "The IgE-binding epitopes of rPar j 2, a major allergen of Parietaria judaica pollen, are heterogeneously recognized among allergic subjects." ALLERGY, vol. 55, no. 3, 2000, pages 246-250, XP001055430 Discussion ---	1-12
Y	WO 99 47680 A (IPSEN HANS HENRIK ;LARSEN JOERGEN NEDERGAARD (DK); ALK ABELLO A S) 23 September 1999 (1999-09-23) page 19 -page 22; claim 17 ---	1-12
Y	WO 00 47610 A (PANACEA PHARM LLC) 17 August 2000 (2000-08-17) the whole document ---	1-12
Y	WO 00 52154 A (SINAI SCHOOL MEDICINE ;UNIV ARKANSAS (US)) 8 September 2000 (2000-09-08) the whole document ---	1-12
Y	FERREIRA F ET AL: "Modulation of IgE reactivity of allergens by site-directed mutagenesis: potential use of hypoallergenic variants for immunotherapy" FASEB JOURNAL, FED. OF AMERICAN SOC. FOR EXPERIMENTAL BIOLOGY, BETHESDA, MD, US, vol. 12, no. 2, 1 February 1998 (1998-02-01), pages 231-242, XP002085249 ISSN: 0892-6638 the whole document ---	1-12
A	EP 0 707 065 A (UNIV MANITOBA) 17 April 1996 (1996-04-17) ---	
	--- -/--	

INTERNATIONAL SEARCH REPORT

International Application No

PCT/EP 01/10483

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
T	<p>BONURA A ET AL: "HYPOALLERGENIC VARIANTS OF THE PARIETARIA JUDAICA MAJOR ALLERGEN PAR J 1: A MEMBER OF THE NON-SPECIFIC LIPID TRANSFER PROTEIN PLANT FAMILY" INTERNATIONAL ARCHIVES OF ALLERGY AND IMMUNOLOGY, XX, XX, vol. 126, no. 1, September 2001 (2001-09), pages 32-40, XP001037388 . ISSN: 1018-2438</p> <p>-----</p>	

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/EP 01/10483

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
WO 9934826	A	15-07-1999	AU 2064899 A EP 1044019 A1 GB 2348808 A WO 9934826 A1 JP 2002500198 T	26-07-1999 18-10-2000 18-10-2000 15-07-1999 08-01-2002
WO 9947680	A	23-09-1999	AU 2714799 A CN 1293710 T WO 9947680 A1 EP 1062341 A1 HU 0101464 A2 NO 20004614 A PL 343029 A1	11-10-1999 02-05-2001 23-09-1999 27-12-2000 28-08-2001 26-10-2000 30-07-2001
WO 0047610	A	17-08-2000	US 2002009452 A1 AU 2877500 A EP 1151001 A2 WO 0047610 A2	24-01-2002 29-08-2000 07-11-2001 17-08-2000
WO 0052154	A	08-09-2000	AU 3717600 A WO 0052154 A2 AU 3865400 A WO 0051647 A2	21-09-2000 08-09-2000 21-09-2000 08-09-2000
EP 0707065	A	17-04-1996	CA 2154379 A1 EP 0707065 A2	23-01-1996 17-04-1996

THIS PAGE BLANK (USPTO)